




- Gru a torre a braccio impennabile
- Luffing Jib Tower Crane • Grue à tour à flèche relevable
- Turmdrehkran mit Steilstellung-Ausleger
- Grúa torre de pluma abatible



- H Altezza torre **I**
- ① Sbraccio massimo
- ② Sbraccio minimo in servizio
- ③ Sbraccio minimo in fuori servizio
- H Tower height **CB**
- ① Maximum jib
- ② Minimum jib (in service)
- ③ Minimum jib (out of service)
- H Hauteur mât **F**
- ① Portée maxi.
- ② Portée min. en service
- ③ Portée min. hors service
- H Turmhöhe **D**
- ① Max. Ausleger
- ② Mindest. Ausleger in Betrieb
- ③ Mindest. Ausleger außer Betrieb
- H Altura torre **E**
- ① Pluma maxima
- ② Pluma minima en servicio
- ③ Pluma minima fuera de servicio

**CE FEM 1.001 A3**

# CTL 260-18 H20

In vigore dal: 01 gennaio 2007. Le specifiche del prodotto ed i prezzi sono soggetti a modifica senza alcun obbligo di preavviso. Le fotografie e/o disegni nel presente documento hanno uno scopo meramente illustrativo. Per il corretto utilizzo di ciascuna attrezzatura, si rimanda allo specifico manuale d'istruzioni. L'inosservanza di quanto previsto nel manuale d'istruzioni nell'utilizzo dell'attrezzatura, così come un comportamento irresponsabile potrebbero cagionare gravi lesioni o il decesso. Le nostre attrezzature sono coperte solo ed esclusivamente dalla garanzia standard scritta prevista per ogni specifico prodotto, con esclusione di qualsivoglia ulteriore garanzia, sia tacita che espressa, da parte di Terex. I prodotti e servizi elencati possono essere marchi di fabbrica, di servizi o ragioni sociali appartenenti a Terex Corporation e/o alle sue affiliate operative sia negli USA che in altri paesi e tutti i diritti s'intendono riservati. "TEREX" è un marchio appartenente a Terex Corporation e registrato sia negli USA che in altri paesi. Copyright © 2007 Terex Corporation.

Effective Date: January 01, 2007. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Terex makes no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade-names of Terex Corporation and/or its subsidiaries in the USA and other countries and all rights are reserved. "TEREX" is a registered trademark of Terex Corporation in the USA and many other countries. Copyright © 2007 Terex Corporation.


**Diagramma di portata** (I)      **Courbes de charges** (F)      **Curvas de cargas** (E)  
**Load Diagram** (GB)      **Lastkurven** (D)

**CTL 260-18**

		15	20	25	30	35	40	45	50	55
9 t	- 28.4 m	9.00	9.00	9.00	8.36	6.71	5.47	4.50	3.73	3.10
	13.5 t	13.5	13.5	10.45	8.14	6.50	5.26	4.30	3.53	2.90
9 t	- 31.9 m	9.00	9.00	9.00	9.00	7.92	6.54	5.46	4.60	*
	13.5 t	13.5	13.5	11.91	9.34	7.50	6.13	5.05	4.20	*
18 t	- 17.9 m	18.0	15.76	11.91	9.34	7.50	6.13	5.05	4.20	
	9 t	9.00	9.00	9.00	9.00	8.28	6.88	5.80		
13.5 t	- 23.2 m	13.5	13.5	12.3	9.71	7.86	6.48	5.40	*	
	18 t	18.0	16.19	12.3	9.71	7.86	6.48	5.40		
9 t	- 33.7 m	9.00	9.00	9.00	9.00	8.60	7.20			
	13.5 t	13.5	13.5	12.64	10.04	8.19	6.80	*		
18 t	- 18.5 m	18.0	16.54	12.64	10.04	8.19	6.80			
	9 t	9.00	9.00	9.00	9.00	8.70				
13.5 t	- 23.8 m	13.5	13.5	12.7	10.13	8.30	*			
	18 t	18.0	16.55	12.7	10.13	8.30				
9 t	- 30.0 m	9.00	9.00	9.00	9.00					
	13.5 t	13.5	13.5	12.77	10.2	*				
18 t	- 18.7 m	18.0	16.63	12.77	10.2					

\* = + 200 kg [  -  50 m - 45 m - 40 m - 35 m - 30 m ] (i)


**Altre installazioni** (I)      **Autres implantations** (F)      **Otras implantaciones** (E)  
**Other configurations** (GB)      **Aufstellmöglichkeiten** (D)



(i)

Gru climbing  
 Bottom climbing crane  
 Télésopage sur dalles  
 Kletterkran im Gebäude  
 Grúa trepadora

(I) (GB) (F) (D) (E)



(i)


Gru ancorata  
 Crane tied to the structure  
 Grue ancrée  
 Geankerter Kran  
 Grúa anclada

(I) (GB) (F) (D) (E)


H20 RTL			
[m]			
	L <sub>1-2-3</sub>	L <sub>4,5</sub>	L <sub>6</sub>
A <sub>min/max</sub>	25/35	25/32	25/28
B <sub>min/max</sub>	18/26	18/22	18/22
C <sub>max</sub>	29	27	25
H <sub>max</sub>	(i)		

Torre **I** Tour **F** Torre **E**  
 Tower **GB** Turm **D**

**H20**




R1	1136 kN ●	1350 kN ◊
R2	-	-
	80 t	



R1	2300 kN ●	2970 kN ◊
R2	1700 kN ●	2500 kN ◊
	75 t	

**H20/HD23**



R1	2600 kN ●	4400 kN ◊
R2	1900 kN ●	3800 kN ◊
	95 t	

- H Altezza torre **I**
- H Tower height **GB**
- H Hauteur mât **F**
- H Turmhöhe **D**
- H Altura torre **E**

**Meccanismi**  
**Mechanisms**





**I**  
**GB**






**Mécanismes**  
**Antriebe**



**F**  
**D**








**Mecanismos**

**E**

			
 67 AFC 90 - LFC 45	144 kVA	400 V - 50 Hz / 460 V - 60 Hz	2000/14/CE modificata
67 AFC 90 - LFC 67	165 kVA		

		<b>m/min</b>	<b>t</b>	<b>kW</b>	
		0 ⇒ 37	9	67	560 m (R00) 940 m (R01)
		0 ⇒ 54	6		
		0 ⇒ 77	4		
		0 ⇒ 82	3.7		
		0 ⇒ 130	1.5		
		0 ⇒ 24.5	13.5		
		0 ⇒ 36	9		
		0 ⇒ 51.3	6		
		0 ⇒ 54.6	5.5		
		0 ⇒ 86.6	2.25		
		0 ⇒ 18.5	18		
		0 ⇒ 27	12		
		0 ⇒ 38.5	8		
		0 ⇒ 41	7.4		
		0 ⇒ 65	3		

	<b>LFC 45</b> <b>R00/R01 (VECTOR)</b>	2.5 min	45 kW
	<b>LFC 67</b> <b>R00/R01 (VECTOR)</b>	1.8 min	67 kW
	<b>SCC 2 2 112</b>	0 ⇒ 0.75 r.p.m.	2 × 9.8 kW

	Sollevamento	<b>I</b>	Hoisting	<b>GB</b>	Levage	<b>F</b>	Heben	<b>D</b>	Elevación	<b>E</b>
	Brandeggio		Luffing		Relevage		Ausleger-Einziehen		Elevación de pluma	
	Rotazione		Slewing		Orientation		Schwenken		Orientación	
	Direttiva sul livello acustico		Directive on noise level		Directive sur le niveau acoustique		Richtlinie für den Schall Leistungspegel		Directiva sobre el nivel acustico	
	Consultateci		Consult us		Nous consulter		Auf Anfrage		Consultarnos	
	Potenza totale richiesta		Power requirements		Puissance totale nécessaire		Geforderte Stromstärke		Potencia necesaria	
	Alimentazione		Power supply		Alimentation		Stromversorgung		Alimentación	

## Gru Comedil s.r.l.

A Terex Company

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy  
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: [info@comedil.com](mailto:info@comedil.com)

Internet home page: [www.comedil.com](http://www.comedil.com)

## Divisione Automontanti

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy  
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: [info.CBR@comedil.com](mailto:info.CBR@comedil.com)